

1645

TECH CENTER 1600/2900

PATENT

Customer No. 22,852 Attorney Docket No. 03495-0203-00000

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re Application of:

Group Art Unit: 1645

ROGNER et al.

3 0 2002

PADEM

)

Application No.: 09/847,665

Examiner: Not yet assigned

Filed: May 3, 2001

For: IDENTIFICATION OF NEURAL

DEFECTS ASSOCIATED WITH THE NUCLEOSOMAL ASSEMBLY

PROTEIN 112

RECEIVED

SEP 0 3 2002

TECH CENTER 1600/2900

Box PG-PUB

Commissioner for Patents Washington, DC 20231

Sir:

REQUEST FOR CORRECTED PATENT APPLICATION PUBLICATION UNDER 37 C.F.R. § 1.221(b)

On August 1, 2002, the U.S. Patent and Trademark Office published this application as Publication Number US 2002/0102566 A1. The published application contains mistakes that are the fault of the Office and are, in Applicants' view, material. Attached hereto is a copy of the relevant pages of the originally filed application and a marked-up copy of the corresponding pages of the published application containing the mistakes.

A mistake is material when it affects the public's ability to appreciate the technical disclosure of the patent application publication or determine the scope of the provisional rights that Applicants may seek to enforce upon issuance of a patent. See 37 C.F.R. §

FINNEGAN HENDERSON FARABOW GARRETT& DUNNER LLP

1300 I Street, NW Washington, DC 20005 202.408.4000 Fax 202.408.4400 www.finnegan.com

Application Serial No.: 09/847, 665 Attorney Docket No.: 03495-0203-00000

1.221 (b). The mistakes listed below may affect the public's ability to appreciate the technical disclosure of the patent application publication or to determine the scope of the provisional rights.

The mistakes, which are indicated in red ink on the relevant pages of the marked-up copy of the published application attached hereto, are listed below with their corrections.

In Figure 5, portions of the panels depicting the invention are missing. Please refer to the copies of the Figures provided.

In Figure 7, [SEQ ID NO: 1] should be indicated after the sequence provided.

In Figure 8, [SEQ ID NO: 2] should be indicated after sequence provided.

In Figure 9, the first base, T, is cut off. In addition, [SEQ ID NO: 3] should be indicated after the sequence provided.

In Figure 10, the sequence should be labeled as "human" not "numan." In addition, [SEQ ID NO: 4] should be indicated after sequence provided.

On line 3 of paragraph [0004], the term "laevis" should written instead of "laevish."

On line 7 of paragraph [0133] the term "Nap1lL2/NAP1L2" instead of "Nap1L2/NAP1L2."

On page 15, SEQ ID NO: 6 should be moved to the end of claim 45 on page 18. In addition, certain nucleotides in SEQ ID NO: 6 should be corrected, as follows:

Nucleotide 43 on line 10. should be a "c" instead of a "g";

Nucleotide 17 on line 18. should be a "g" instead of an "a";

Nucleotide 17 on line 25. should be a "G" instead of a "C";

FINNEGAN HENDERSON FARABOW GARRETT& DUNNER LLP

1300 I Street, NW Washington, DC 20005 202.408.4000 Fax 202.408.4400 www.finnegan.com

Application Serial No.: 09/847, 665 Attorney Docket No.: 03495-0203-00000

Nucleotide 44 on line 26. should be a "G" instead of a "C";

Nucleotide 50 on line 36. should be a "G" instead of a "C";

Nucleotide 76 on line 37. should be a "g" instead of a "c";

Each of these mistakes are clearly material as they impede the public's ability to appreciate the technical disclosure of the patent application publication. For at least this reason, the mistakes should be corrected.

Applicants request that the Office correct the above-identified mistakes in the published application, which are the fault of the Office. Further, Applicants request that the Office forward to Applicants a copy of the corrected published application or at least a notification of the occurrence or predicted occurrence of the corrected publication once it has been corrected.

Applicants believe that no Petition or fee is due in connection with this Request; however, if any Petition or fee is due, please grant the Petition and charge the fee to our Deposit Account No. 06-0916.

Respectfully submitted,

FINNEGAN, HENDERSON, FARABOW, GARRETT & DUNNER, L.L.P.

Dated: September 30, 2002

Kenneth J. Meyers

Reg. No. 25,146 Phone: (202) 408-4000

Fax: (202) 408-4400

E-mail: Ken.Meyers@finnegan.com

FINNEGAN HENDERSON FARABOW GARRETT& DUNNER LLP


1300 I Street, NW Washington, DC 20005 202.408.4000 Fax 202.408.4400 www.finnegan.com In re Application of: ROGNER et al. Application No.: 09/847,665

Filed: ay 3, 2001

For: IDENTIFICATION OF NEURAL DEFECTS ASSOCIATED
WITH THE NUCLEOSOMAL ASSEMBLY PROTEIN 112

Attorney Docket No.: 03495-0203

PAGES OF APPLICATION AS FILED





Sequence clone Bpx promoter murin SpeI-Sall fragment

ACTAGTCATATAGCTGGCTCTTTTACAAAAGGCTTCAACACCCCTCCCCC ¢acactttagtcatccgtcatctcttcctcatcaggaaatattatgagaa TTTTCCCATTTAAAATCACACAGGTTGTGAAAATTACAGAAACCAGGGTA ¢agaatatttaaaccactgtcagitacatcatccaaaggccacctatgct ATTTTTGGTAATTTTAAACCTCAAAGGATCTCTTTGTGGGCTCCTCCACT ACCCTCCTCTTTTCCCAGAGCCTCAGGTTATAACCAAAGGGATAGACTA AAGACAATCCAGTACCTTGCCCATTTTTTCATTCCTTGTCACTGTTTCCA TATAGCTCTTTTGAAATTATGAACATATAGTATCAGTTGAAAACGGAATG AATGATACTGCATTTCTGCAAAATTCCACAGGCTATAGGGTGGAAGATG AGCCATAGGTGGAGGAATCAGCCATATTAGAGAATCTGGGAAGGCAAG AGGTGTTGAAATTTTGATTCATCTACTAATTTACTGGCTCAGGATTTGTC AGGGGTGACGCAGCAACCTGCATACACTTAAAAAAAAAGAGCTGAGAG ACAACTGCGTAATCATACTGCGGCACCAGTTCCTCCATCCCTCCGCCCCC **GAGTGGCTGGAGCAGCTGCTTGCGGAGGTCTGCCCACTGCGGCTCTCTG** ¢AGTCTCTAGCCTGTTCCTTCAGGGCCTAGAGTCTCCGCCCAGACAGCCG CTGCCATCAGTGCAGCCGCCGCCGCCTCTTGGTTCATCTCTGCCAGATC ATCGCGCATCTGCTGTATTGGTGAGTCTCCTGCGGAGGTCAGGTCTCCT \$ATCTGCGGGCTTAGCCACCATAAGTGCAGGCGATCGTTTGAAAACAAT \$GCTGAATCAGTCGACCTCGAGGGGGGGGCGTACCTTGCCCATTTTTTTCA TCCTTGTCACTGTTTCCATATAGCTCTTTTGAAATTATGAACATATAGTA TCAGTTGAAAACGGAATGAATGATACTGCATTTCTGCAAAATTCCACAG **GCTATAGGGTGGAAGATGAGCCATAGGTGGAGGAATCAGCCATATTAGA** . GAATCTGGGAAGGCAAGAGGTGTTGAAATTTTGATTCATCTACTAATTTA ¢tggctcaggatttgtcaatcactgcagcctggcaaatgagattagaga AGAGTCCTGGGAGGGAAGGGGTGACGCAGCAACCTGCATACACTTAAA AAAAAAGAGCTGAGAGACAACTGCGTAATCATACTGCGGCACCAGTTCC TCCATCCCTCCGCCCCCGAGTGGCTGGAGCAGCTGCTTGCGGAGGTCTG ¢CCACTGCGGCTCTCTGCAGTCTCTAGCCTGTTCCTTCAGGGCCTAGAGT CTCCGCCCAGACAGCCGGTTTCAATTCTGCTATCCCAGCTTCAGCACCGT CTTTTATCCCCACTGCTTGCTGCCTGCCATCAGTGCAGCCGCCGCCGCCT CTTGGTTCATCTCTGCCAGATCATCGCGCATCTGCTGTATTGGTGAGTCT TCCTGCGGAGGTCAGGTCTCCTGATCTGCGGGCTTAGCCACCATAAGTG CAGGCGATCGTTTGAAAACAATGGCTGAATCAGTCGAC

[SEQ ID NO:1]

RECEIVED

SEP 0 3 2002

RECEIVED

FIG. 8 cont.

SEP 0 3 2002

TECH CENTER 1600/2900



CGTACTTACATAATTCCAAGATCAGTGTTATTTTTCTCAGGAGATGCACT TGAATCTCAGCAGGAGGGTGTAGTTAGGGAAGTTAATGACGAAATATAT GACAAAATTATTTATGATGATTGGATGGCTGCAATTGAAGAGGTTAAAG CCTGTTGCAAAAATCTTGAGGCATTAGTAGAAGATATTGATCGTTAAAAC AGAGTAGATGCTTTTGAAACTAACTGCTCTACATGCAGTTACTGAAGACA TAAGCAGTTAATATTGTCTTGTGTTCTGCATTTTTTCCTGTCATGCCAGTT TAAAAATTCAAATACTAATTAATCTGACCTTGCATTGTAGTGGTATGATG ITTTCAAGACATGTAGACTGTGATAAATGATTAAGACATTAATAGTCTGT AGTATAACCCTTCTGAAGTCCTTGTGCCATGTATCTATTAATCTGTGGCT ATTGGAAACCTACCTAAGAGTGCTTTGCTATTTTCCCCCTTATCCTCTTAG TGCTTTGGCCAATTGACTTTATTGTGCCTGCTTCATTTTGCAGTAAATATG CAGTAGAATTTAAAACTTGAATGCCTAAGAGGCCTGCATATGATTGAGA ATTTCAGGCAAAATCATATTTATTATTGATAACAGCTAGTGCAAGGCTTC TGATTGTATGTGACTGTGATAAATAATAAAACTCAATTGTATTGAAGTTA CTGTTTATCATTGACATGTGAGTTACAGTATTTTCAAATGTTGCAAATATT GTCCTGTGTAATTGTGTAAACTGTGATTACAGTGTACATTTTTTTCATAAT ATACTGAATCATTCATTGAAATGGACACTTTACCATTTCTGAAAATACAT TCATATTCTGTTCATTCACTGAAAAATAAAATGAATAAAAATTT

[SEQ ID NO:2]

FIG. 9

RECEIVED

SEP 0 3 2002

TECH CENTER 1600/2900



BPX human cDNA identical to genomic DNA

PGTTAGAGAGCCTGGGAAGGTGAGCAGAGCTGAAAACTTGATAGATCTA ATAATTTACTGGCTCTGGGTTTGTCAGTCACTACATTGCAGCAAATGAGA **TTAGAGCATAGTTGTGGGAGGGAAGGAGGTGACGCAGCAATCTATTTGC** ACCTAGAAATTTTAGGCAAGTGATAGCTGCGTAATCATACTGCGGCACC GTTTTTTTCTTGCAGCAGTAGCTGCTTGCGGAGGAGGTCTGCCCACTGCA GCTCTCTGCAGTCTCCGGCTCTCTCCTGCAGGATCGGTCAACGCAGCCGT CGCCGCCCTCTGCACCCAGCCCAGGTCGCCACTGCTTCAGTCCGGTTCTC AAAGCCTCAGCACCATCTTTTATCCCCGAGCAGCCTGGATCGTCGTTCCC TEAGTCCGGACGCCACTGCTAGGTCCGACCACCGCCGCTTCTGATATTTC GGTGAGTCTTTTCCTGTGGAGGTTTGGTCTCCCGATCTCTGTGGTAGCCA CCTTAGGCGTGTACGGTCCTTTGAAAAATGGCCGAGTCAGAGAACCGCA AGGAGCTGTCAGAATCCAGTCAAGAAGAGGCTGGTAATCAGATAATGGT GGAAGGGCTCGGGGAACATCTGGAGCGCGGTGAAGATGCCGCTGCTGG GCTTGGAGACGATGGGAAGTGCGGTGAAGAAGCTGCCGCTGGGCTTGG GGAAGAAGGGGAAAACGGTGAAGATACTGCTGCTGGGTCCGGGGAAGA TGGGAAAAAAGGTGGCGATACTGATGAGGACTCAGAGGCAGACCGTCC AAAAGGACTTATC

FIG. 9 cont.



TGGCGAGCCCCTCAGTTTCACACTAGAATTTCACTTCAAACCCAATGAAT ATTTCAAAAATGaGTTGTTGACAAAGACCTATGTGCTGAAGTCAAAGCTA GCATATTATGATCCCCATCCCTATAGGGGAACTGCGATTGAGTATTCCAC AGGCTGTGAGATAGATTGGAATGAAGGAAAGAATGTCACTTTGAAAACC ATCAAGAAGAAACAGAAACATCGGATCTGGGGAACAATCCGAACTGTAA CTGAAGATTTTCCCAAGGATTCATTTTTCAATTTTTTCTCTCCTCATGGAA TCACCTCAAATGGAAGGGATGGAAATGATGATTTTTTACTTGGTCACAAT TTACGTACTTACATAATTCCAAGATCAGTATTATTTTTCTCAGGTGATGCA CTGGAATCTCAGCAGGAGGGGGTAGTTAGAGAAGTTAATGATGCAATTT ATGACAAAATTATTTATGATAATTGGATGGCTGCAATTGAGGAAGTTAAA GCTTGTTGCAAAAACCTTGAGGCATTAGTAGAAGACATTGATCGTTAGA GCAGAGTATACATGGCCCTGAAATTAACTgCCCTAGATATAGTTACTCAA GGTATAAGAAgCCTTGTGTTCTGTATTTTgCTTTGTAGTGTTAGTTAAAAC GAGTTTTAGTAGTAGAATGTTTTCAAGAAATGTACACTGTGGTAAATGAT TTAAAACACTAGTATAGTGTTGTGTAGCTTAATCCTTCTGAAGTCTTTTTG TCATGTAGCTATTAATCTGTGGCTATGAAATGATCAGAAATGCTAAGTGA GATCAATATTTGTTTGGAAAAAAAATCTTGGGAAACAACCCAAGGGTTTT CGCTGTTGTTGTTTTTCTTTTTCTATTTTTGTTTACTTAGTCCTTTAGCTAG TGGATTTAATTTTGTTGTGCCTGCTTCATTTTGCAATAACAATGCAGTAG ÄATTTAAAACTTGGATGCTTAAGAGGCCTGCATATAGATAAGAATTTCAG GCAAAACTACATTTATTGTTAATAACAGCTTGTTCATAGGCTCTTGTATTT TATGTAACTGTGATAAATAATGAAAACTTAGTTATATTGAGGTTATTGTT TGTCGGTGAAGTGTTAGTCACAGTATTTTCAAAAGTTTGCACATATTGTT CTGTGTAATTGTGTAAGCCATAATTACAGTGTTTAATTCTCTTTTCCTATT ACATCATTCATTGAAAGTGATCACTTTACCATTTTGAAAAGATATTTCGT GTTCTTTCACTGCAAAATAAAAAGAATAAAAATTTCAGAGTGTCTCATGG AATTCC

[SEQ ID NO:3]

RECEIVED
SEP 0 3 2002



human BPX 5' regi n

CAACAATATGTAAACAGTTTTAATATCTGTGATAGTAACAAATTCTTTAA ATCTGGAAAATAATAGTCACTTAAAATTTTAAAAAATTGTTCAATTAATA AATGATCCAAGTTAGAAATATGAACAAAATAAACCTCACCAATAATTAC TATAGAGAGGAAATTITAATTACTGCAAAGCTTTCCATCCTATAAATACA TATCAAATAGTTTAACCATTTCTTTAATGCTGAGATTTAGATTATTTCCA ÄTTAACTCAAAAGCATCAAGCAAATGTTATGATTTCTAAGAATAAACATA ACTITCCATTTTGGCTTTTGTATATATGTATATTTCTAACGGCTGTTAAAG CCAGCATTAAGAAGGAGAAGCAGAAAGTCAGTATTGGGACTGGGGTTAT TTATAAGCCAGGCAACTGGTTAATTGTGGTTAATTGTCTGGTATGTTTAC TAGTCACGTAGTTGTATACACCATACTAGTTTTTCATCACAGGCCCTCAT TCGCCCCCACTGCCATCGGACTTCCTCCTCCTCCCCTCACAGGAAATGTT TCGAGAATTTTTCAACCTAAAATCATATAGCTTGTGAAAAATACCGACAA ACATAATATAGAATATTTAAATAACTGACACGCCACCTAAAGACCATCA CCACCATCCACCTCTCCCCTCCCCAGGTCCCCGATCTAAAATCAAAGAG ATTGATTTAGGATGGGTGGGTGCCTTGTCTTCTCTCATTGTTCGACATTTT AGTTACGTTTTCTCTGAGCTCTCTGGAAAGCATAAAAGTATAATATCTGT . TAAAAGTTGGATGAATGAACTAATGAACGCAATGGGATTCCAGAAAACT CTGCGGGAGATGGGCTAGAGGACGAGGAGGAGGTGGATGAATCAGCCA TGTTAGAGAGCCTGGGAAGGTGAGCAGAGTTGAAAACTTGATAG ATCTAATAATTTACTGGCTCTGGGTTTGTCAGTCACTACATTGCAGCAAA TGAGATTAGAGCATAGTTGTGGGAGGGAAGGAGGTGACGCAGCAATCTA TTTGCACCTAGAAATTTTAGGCAAGTGATAGCTGCGTAATCATACTGCGG CACCGTTTTTTTCTTGCAGCAGTAGCTGCTTGCGGAGGAGGTCTGCCCAC TGCAGCTCTCTGCAGTCTCCGGCTCTCTCCTGCAGGATCGGTCAACGCAG CCGTCGCCGCCCTCTGCACCCAGCCCAGGTCGCCACTGCTTCAGTCCGGT TCTCAAAGCCTCAGCACCATCTTTTATCCCCGAGCAGCCTGGATCGTCGT TCCCTCAGTCCGGACGCCACTGCTAGGTCCGACCACCGCCGCTTCTGATA TTTCGGTGAGTCTTTTCCTGTGGAGGTTTGGTCTCCCGATCTCTGTGGTA GCCACCTTAGGCGTGTACGGTCCTTTGAAAA

[SEQ ID NO:4]

RECEIVED

SEP 0 3 2002

genes⁵, genes encoding cell adhesion molecules like cadherins⁶, and genes affecting neural cell division, such as p53 and Nf17. have all been implicated in the process of neurulation.

One family of genes, which has been implicated in the control of mitotic events 8,9 , is the NAP-1 family. The NAP-1 protein was first identified in Xenopus lævis 10 and homologous proteins subsequently isolated from drosophila11, yeast12 and man⁹. NAP-1 and NAP-1 like proteins have been shown to transfer nucleosome units to naked DNA10, to stimulate transcription factor binding to nucleosomal DNA13, and to act as core histone shuttle implicated in the transport histones from the cytoplasm to the nucleus 14. Control of mitotic events may depend on the role of NAP-1 and NAP-1 like proteins in chromatin assembly and remodeling or more directly through their binding to cyclins, which is mediated by a domain also found in the tumor associated SET proteins15.

The recently isolated murine X-linked Nap112 (Bpx) and its human homologue NAP1L2 (BPX) have a highly restricted pattern of expression, being expressed exclusively in the nervous system¹⁶. In this respect, NAP1L2 and the X-linked brain-specific $NAP1L3^{17}$ differ from the ubiquitously expressed NAP1L1 and NAP1L4 genes. The limited expression pattern of these genes suggests a particular and specialized function, possibly through an effect on nucleosome assembly or cell cycle regulation, specific to neural function.

Gene targeting techniques can be used to introduce therapeutic polynucleotides, e.g. naturally occurring unmutated, Nap112 and NAP1L2 genes, into a host cell containing a mutated Nap112 or NAP1L2 gene. One of the preferred targeting techniques according to the present invention consists of a process for specific replacement, such as the DNA targeting technique described in PCT patent application N° WO 90/11354 (Institut Pasteur), incorporated herein by reference. Such a DNA targeting process makes it possible to insert the therapeutic nucleotide according to the invention behind an endogenous promoter, which has the desired functions (for example, specificity of expression in the selected target animal or embryo).

Absence of NAP1L2 protein (especially due to mutations of the corresponding genes or of their promoters) leads to overproduction of neural cells; expression of NAP1L2 or subfragments or derivatives in cells (neural/tumors/others) can prevent further proliferation and then can be used as a therapy. On the contrary, modification of Nap11L2/NAP1L2 expression (especially due to mutations of these genes or inefficiency of their promoters) leads to over production of neural cells and thereby allow regeneration or survival of neurons and therefore use as a therapy.

Genomic sequence BPX human



1. acttaaaggaaaaatttatctataaactgacagaatttagaaataaaatacaacaatatgtaaacagttttaatatctgtg 2. atagtaacaaattctttaaatctggaaaataatagtcacttaaaattttaaaaaattgttcaattaataaatgatccaag 3. tragaaatatgaacaaaataaacctcaccaataattactatagagaggaaatrittaattactgcaaagctttccatccta 4. caaatacattatcaaatagtttaaccatttctttaatgctgagatttagattatttccaaattaactcaaaagcatcaagc 5. aaatgttatgatttctaagaataaacataactttccattttggcttttgtatatatgtatatttctaacggctgttaaag $7.\ a \texttt{attgtctggtatgtttactagtcacgtagttgtatacaccatactagtttttcatcacaggccctcattcgccccact}$ 8. gccatcggacttcctcctcctcctcacaggaaatgtttcgagaatttttcaacctaaaatcatatagcttgtgaaaaa 9. taccgacaaacataatatagaatatttaaataactgacacgccacctaaagaccatcagtgctaattcctggtgttttta 10.arctttgaagcgtttgtttatcagctcttccaccatccaccyCrcccctccccaggtccccgatctaaaatcaaagagat 11. :gatttaggatgggtgggtgccttgtcttctctcattgttcgacattttagttacgttttccctgagctctctggaaagc 12.ataaaagtataatatctgttaaaagttggatgaatgaactaatgaacgcaatgggattccagaaaactctgcgggagatg 13.ggctagaggacgaggaggaggtggatgaatcagccatgttagagagcctgggaaggtgagcagagttgaaaacttgatag $15. {\tt gaggtgacgcagcaatctatttgcacctagaaattttaggcaagtgatagctgcgtaatcatactgcggcaccgttttt}$ 16.tottgcagcagtagctgcttgcggaggaggtctgcccactgcagctctctgcagtctccggctctctcctgcaggatcgg 17.tcaacgcagccgtcgccgccctctgcacccagcccaggtcgccactgcttcagtccggttctcaaaagcctcagcaccatc 18.ttttatccccgagcagcctggatcgtcgttccctcagtccggacgccactgctaggtccgaccaccgcq@pttctgatat 19. troggtgagtottttcotgtggaggtttggtotocogatototgtggtagocacottaggogtgtacggtoctttgaaaa 20.ATGGCCGAGTCAGAGAACCGCAAGGAGCTGTCAGAATCCAGTCAAGAAGAGGGCTGGTAATCAGATAATGGTGGAAGGGCT 21.CGGGGAACATCTGGAGCGCGGTGAAGATGCCGCTGCTGGGCTTGGAGACGATGGGAAGTGCGGTGAAGAAGCTGCCGCTG 22.GGCTTGGGGAAGAAGGGGAAAACGGTGAAGATACTGCTGCTGGTCCGGGGAAGATGGGAAAAAAAGGTGGCGATACTGAT 23. GAGGACTCAGAGGCAGACCGTCCAAAAGGACTTATCGGTTATGTTTTAGATACAGACTTTGTTGAAAGTCTACCTGTGAA 24. AGTTAAGTACCGTGTGTTAGCCCTTAAAAAGCTTCAAACTAGAGCGGCCAATTTAGAATCCAAATTCCTGAGGGAATTTC 25. ATGACATTGAAAGAAGTTTGCTGAAATGTACCAACCCTTACTGGAAAAAAGACGTCAGATCATCAATGCAATCTATGAA 26.CCTACAGAAGAGGAATĞTGAATATAAATCAGACTCTGAGGAC(CTGATGATGATGAGGAAATGTGTCATGAAGAGATGTATGG 27. TAATGAGGAGGGTATGGTACATGATATCTGGATGAGGACGATGGTTATGAGGACTATTATTATGATTATGCTGTGGAAG 28. AGGAGGAGGAGGAGGAGGAGGACGACATTGAGGCTACTGGAGAAGAGAATAAAGAAGAGGAGGATCCTAAGGGAATT 29.CCTGATTTTTGGCTAACTGTTTTAAAAAACGTTGATACACTCCCTTTGATTAAGAAATATGATGAGCCTATTCTGAA 30.GCTCCTGACAGATATTAAAGTTAAGCTTTCAGATCCTGGCGAGCCCCTCAGTTTCACACTAGAATTTCACTTCAAACCCA 31. ATGAATATTTCAAAAATGAGTTGTTGACAAAGACCTATGTGCTGAAGTCAAAGCTAGCATATTATGATCCCCATCCCTAT ${\tt 33.GAAGAAACATCGGATCTGGGGAACAATCCGAACTGTAACTGAAGATTTCCCAAGGATTCATTTTCAATTTTT}$ 34. TOTOTOCTCATGGAATCACCTCAAATGGAAGGGATGGAAATGATCTTTTTACTCGGGCACAATTTACGTACTTACATA 35. ATTCCAAGATCAGTATTATTTTTCTCAGGTGATGCACTGGAATCTCAGCAGGAGGGGGTAGTTAGAGAAGTTAATGATGC 36. AATTTATGACAAAATTATTTATGATAATTGGATGGCTGCAATTGAGGAAGTTAAAGCTTGTTGCAAAAACCTTGAGGCAT 37.TAGTAGAAGACATTGATCGTTAGAGCagagtatacatggccctgaaattaactgccctagatatagttactcaag@tata 39.aattaatttgaccttgagttttagtagtagaatgttttcaagaaatgtacactgtggtaaatgatttaaaacactagtat 40.agtgttgtgtagcttaatccttctgaagtctttttgtcatgtagctattaatctgtggctatgaaatgatcagaaatgct 42. attittgtttacttagtcctttagctagtggatttaattttgttgtgcctgcttcattttgcaataacaatgcagtagaa 43.tttaaaacttggatgcttaagaggcctgcatatagataagaatttcaggcaaaactacatttattgttaataacagcttg 45.tgttagtcacagtattttcaaaagtttgcacatattgttctgtgtaattgtgtaatcgtgtaagccataattacagtgtttaattctc 46.ttttcctattacatcattcattgaaagtgatcactttaccattttgaaaagatatttcgtgttctttcactgcaaaataa 47.aaagaataaaaatttcaga

RECEIVED

SEP 0 3 2002




In re Application of: ROGNER et al. Application No.: 09/847,665

Filed: ay 3, 2001
For: IDENTIFICATION OF NEURAL DEFECTS ASSOCIATED WITH THE NUCLEOSOMAL ASSEMBLY PROTEIN 112

Attorney Docket No.: 03495-0203

PAGES OF INCORRECTLY PUBLISHED APPLICATION







SEP 0 3 2002

Sequence clone Box promoter murin Spel-Sall fragment

TECH CENTER 1600/2900

ACTAGTCATATAGCTGGCTCTTTTACAAAAGGCTTCAACACCCCTCCCCC CACACTITAGTCATCCGTCATCTCTTCCTCATCAGGAAATATTATGAGAA TTTTCCCATTTAAAATCACACAGGTTGTGAAAATTACAGAAACCAGGGTA CAGAATATTTAAACCACTGTCAGTTACATCATCCAAAGGCCACCTATGCT TATTTTTGGTAATTTTAAACCTCAAAGGATCTCTTTGTGGGCTCCTCCACT ACCCTCCTCTCTTCCCAGAGCCTCAGGTTATAACCAAAGGGATAGACTA AAGACAATCCAGTACCTTGCCCATTTTTTTCATTCCTTGTCACTGTTTCCA TATAGCTCTTTTGAAATTATGAACATATAGTATCAGTTGAAAACGGAATG AATGATACTGCATTTCTGCAAAATTCCACAGGCTATAGGGTGGAAGATG AGCCATAGGTGGAGGAATCAGCCATATTAGAGAATCTGGGAAGGCAAG AGGTGTTGAAATTTTGATTCATCTACTAATTTACTGGCTCAGGATTTGTC ACAACTGCGTAATCATACTGCGGCACCAGTTCCTCCATCCCTCCGCCCCC GAGTGGCTGGAGCAGCTGCTTGCGGAGGTCTGCCCACTGCGGCTCTCTG CAGTCTCTAGCCTGTTCCTTCAGGGCCTAGAGTCTCCGCCCAGACAGCCG CCTGCCATCAGTGCAGCCGCCGCCGCCTCTTGGTTCATCTCTGCCAGATC ATCGCGCATCTGCTGTATTGGTGAGTCTTCCTGCGGAGGTCAGGTCTCCT GATCTGCGGGCTTAGCCACCATAAGTGCAGGCGATCGTTTGAAAACAAT GGCTGAATCAGTCGACCTCGAGGGGGGGGGGCGTACCTTGCCCATTTTTTTCA TTCCTTGTCACTGTTTCCATATAGCTCTTTTGAAATTATGAACATATAGTA TCAGTTGAAAACGGAATGAATGATACTGCATTTCTGCAAAATTCCACAG **GCTATAGGGTGGAAGATGAGCCATAGGTGGAGGAATCAGCCATATTAGA** GAATCTGGGAAGGCAAGAGGTGTTGAAATTTTGATTCATCTACTAATTTA CTGGCTCAGGATTTGTCAATCACTGCAGCCTGGCAAATGAGATTAGAGA AGAGTCCTGGGAGGGAAGGGGTGACGCAGCAACCTGCATACACTTAAA AAAAAAGAGCTGAGAGACAACTGCGTAATCATACTGCGGCACCAGTTCC TCCATCCCTCCGCCCCGAGTGGCTGGAGCAGCTGCTTGCGGAGGTCTG CCCACTGCGGCTCTCTGCAGTCTCTAGCCTGTTCCTTCAGGGCCTAGAGT CTCCGCCCAGACAGCCGGTTTCAATTCTGCTATCCCAGCTTCAGCACCGT CTTTTATCCCCACTGCTTGCTGCCTGCCATCAGTGCAGCCGCCGCCGCCT CTTGGTTCATCTCTGCCAGATCATCGCGCATCTGCTGTATTGGTGAGTCT TCCTGCGGAGGTCAGGTCTCCTGATCTGCGGGCTTAGCCACCATAAGTG CAGGCGATCGTTTGAAAACAATGGCTGAATCAGTCGAC

[SEQ ID NO:1]



FIG. 8 cont.

RECEIVED

SEP 0 3 2002

TECH CENTER 1600/2900

CGTACTTACATAATTCCAAGATCAGTGTTATTTTTCTCAGGAGATGCACT TGAATCTCAGCAGGAGGTGTAGTTAGGGAAGTTAATGACGAAATATAT GACAAAATTATTTATGATGATTGGATGGCTGCAATTGAAGAGGTTAAAG CCTGTTGCAAAAATCTTGAGGCATTAGTAGAAGATATTGATCGTTAAAAC AGAGTAGATGCTTTTGAAACTAACTGCTCTACATGCAGTTACTGAAGACA TAAGCAGTTAATATTGTCTTGTGTTCTGCATTTTTTCCTGTCATGCCAGTT TAAAAATTCAAATACTAATTAATCTGACCTTGCATTGTAGTGGTATGATG TTTTCAAGACATGTAGACTGTGATAAATGATTAAGACATTAATAGTCTGT AGTATAACCCTTCTGAAGTCCTTGTGCCATGTATCTATTAATCTGTGGCT ATTGGAAACCTACCTAAGAGTGCTTTGCTATTTTCCCCCTTATCCTCTTAG TGCTTTGGCCAATTGACTTTATTGTGCCTGCTTCATTTTGCAGTAAATATG CAGTAGAATTTAAAACTTGAATGCCTAAGAGGCCTGCATATGATTGAGA ATTTCAGGCAAAATCATATTTATTATTGATAACAGCTAGTGCAAGGCTTC TGATTGTATGTGACTGTGATAAAAAAAAACTCAATTGTATTGAAGTTA CTGTTTATCATTGACATGTGAGTTACAGTATTTTCAAATGTTGCAAATATT GTCCTGTGTAATTGTGTAAACTGTGATTACAGTGTACATTTTTTTCATAAT ATACTGAATCATTCATTGAAATGGACACTTTACCATTTCTGAAAATACAT TTCATATTCTGTTCATTCACTGAAAAATAAAATGAATAAAATTT

SEQ ID NO: 2]



FIG. 9

RECEIVED

SEP 0 3 2002

TECH CENTER 1600/2900

BPX human cDNA identical to genomic DNA

TGTTAGAGAGCCTGGGAAGGTGAGCAGAGCTGAAAACTTGATAGATCTA ATAATTTACTGGCTCTGGGTTTGTCAGTCACTACATTGCAGCAAATGAGA TTAGAGCATAGTTGTGGGAGGGAAGGAGGTGACGCAGCAATCTATTTGC ACCTAGAAATTTTAGGCAAGTGATAGCTGCGTAATCATACTGCGGCACC GTTTTTTTCTTGCAGCAGTAGCTGCTTGCGGAGGAGGTCTGCCCACTGCA GCTCTCTGCAGTCTCCGGCTCTCTCCTGCAGGATCGGTCAACGCAGCCGT CGCCGCCTCTGCACCCAGCCCAGGTCGCCACTGCTTCAGTCCGGTTCTC AAAGCCTCAGCACCATCTTTTATCCCCGAGCAGCCTGGATCGTCGTTCCC TEAGTCCGGACGCCACTGCTAGGTCCGACCACCGCCGCTTCTGATATTTC GGTGAGTCTTTTCCTGTGGAGGTTTGGTCTCCCGATCTCTGTGGTAGCCA CCTTAGGCGTGTACGGTCCTTTGAAAAATGGCCGAGTCAGAGAACCGCA AGGAGCTGTCAGAATCCAGTCAAGAAGAGGCTGGTAATCAGATAATGGT GGAAGGCTCGGGGAACATCTGGAGCGCGGTGAAGATGCCGCTGCTGG GCTTGGAGACGATGGGAAGTGCGGTGAAGAAGCTGCCGCTGGGCTTGG GGAAGAAGGGGAAAACGGTGAAGATACTGCTGCTGGGTCCGGGGAAGA TGGGAAAAAAGGTGGCGATACTGATGAGGACTCAGAGGCAGACCGTCC AAAAGGACTTATC



FIG. 9 cont.

TGGCGAGCCCTCAGTTTCACACTAGAATTTCACTTCAAACCCAATGAAT ATTTCAAAAATG2GTTGTTGACAAAGACCTATGTGCTGAAGTCAAAGCTA GCATATTATGATCCCCATCCCTATAGGGGAACTGCGATTGAGTATTCCAC AGGCTGTGAGATAGATTGGAATGAAGGAAAGAATGTCACTTTGAAAACC ATCAAGAAGAAACAGAAACATCGGATCTGGGGAACAATCCGAACTGTAA CTGAAGATTTTCCCAAGGATTCATTTTTCAATTTTTCTCTCCTCATGGAA TCACCTCAAATGGAAGGGATGGAAATGATGATTTTTTACTTGGTCACAAT **TTACGTACTTACATAATTCCAAGATCAGTATTATTTTTCTCAGGTGATGCA** CTGGAATCTCAGCAGGAGGGGGTAGTTAGAGAAGTTAATGATGCAATTT ATGACAAAATTATTTATGATAATTGGATGGCTGCAATTGAGGAAGTTAAA GCTTGTTGCAAAAACCTTGAGGCATTAGTAGAAGACATTGATCGTTAGA GCAGAGTATACATGGCCCTGAAATTAACTeCCCTAGATATAGTTACTCAA GGTATAAGAAgCCTTGTGTTCTGTATTTTgCTTTGTAGTGTTAGTTAAAAC GAGTTTTAGTAGTAGAATGTTTTCAAGAAATGTACACTGTGGTAAATGAT TTAAAACACTAGTATAGTGTTGTGTAGCTTAATCCTTCTGAAGTCTTTTTG TCATGTAGCTATTAATCTGTGGCTATGAAATGATCAGAAATGCTAAGTGA GATCAATATTTGTTTGGAAAAAAAATCTTGGGAAACAACCCAAGGGTTTT CGCTGTTGTTTTTCTTTTTCTATTTTTGTTTACTTAGTCCTTTAGCTAG TGGATTTAATTTTGTTGTGCCTGCTTCATTTTGCAATAACAATGCAGTAG AATTTAAAACTTGGATGCTTAAGAGGCCTGCATATAGATAAGAATTTCAG GCAAAACTACATTTATTGTTAATAACAGCTTGTTCATAGGCTCTTGTATTT TATGTAACTGTGATAAATAATGAAAACTTAGTTATATTGAGGTTATTGTT TGTCGGTGAAGTGTTAGTCACAGTATTTTCAAAAGTTTGCACATATTGTT CTGTGTAATTGTGTAAGCCATAATTACAGTGTTTAATTCTCTTTTCCTATT ACATCATTCATTGAAAGTGATCACTTTACCATTTTGAAAAGATATTTCGT GTTCTTTCACTGCAAAATAAAAAGAATAAAAATTTCAGAGTGTCTCATGG AATICC

[SEQ ID NO:3]

RECEIVED

SEP 0 3 2002



FIG. 10

human BPX 5' region

CAACAATATGTAAACAGTTTTAATATCTGTGATAGTAACAAATTCTTTAA ATCTGGAAAATAATAGTCACTTAAAAATTTTAAAAAATTGTTCAATTAATA AATGATCCAAGTTAGAAATATGAACAAAATAAACCTCACCAATAATTAC TATAGAGAGGAAATTTTAATTACTGCAAAGCTTTCCATCCTATAAATACA ITATCAAATAGTTTAACCATTTCTTTAATGCTGAGATTTAGATTATTTCCA ATTAACTCAAAAGCATCAAGCAAATGTTATGATTTCTAAGAATAAACATA ACTITCCATTTTGGCTTTTGTATATATGTATATTTCTAACGGCTGTTAAAG CCAGCATTAAGAAGGAGAAGCAGAAAGTCAGTATTGGGACTGGGGTTAT TTATAAGCCAGGCAACTGGTTAATTGTGGTTAATTGTCTGGTATGTTTAC IAGTCACGTAGTTGTATACACCATACTAGTTTTTCATCACAGGCCCTCAT TCGCCCCACTGCCATCGGACTTCCTCCTCCTCCCCTCACAGGAAATGTT TCGAGAATTTTTCAACCTAAAATCATATAGCTTGTGAAAAATACCGACAA ACATAATATAGAATATTTAAATAACTGACACGCCACCTAAAGACCATCA CCACCATCCACCTCTCCCCCAGGTCCCCGATCTAAAATCAAAGAG ATTGATTTAGGATGGGTGGGTGCCTTGTCTTCTCTCATTGTTCGACATTTT AGTTACGTTTTCTCTGAGCTCTCTGGAAAGCATAAAAGTATAATATCTGT TAAAAGTTGGATGAATGAACTAATGAACGCAATGGGATTCCAGAAAACT CTGCGGGAGATGGGCTAGAGGACGAGGAGGAGGTGGATGAATCAGCCA TGTTAGAGAGCCTGGGAAGGTGAGCAGAGTTGAAAACTTGATAG ATCTAATAATTTACTGGCTCTGGGTTTGTCAGTCACTACATTGCAGCAAA TGAGATTAGAGCATAGTTGTGGGAGGGAAGGAGGTGACGCAGCAATCTA TTTGCACCTAGAAATTTTAGGCAAGTGATAGCTGCGTAATCATACTGCGG CACCGTTTTTTTCTTGCAGCAGTAGCTGCTTGCGGAGGAGGTCTGCCCAC TGCAGCTCTCTGCAGTCTCCGGCTCTCTCCTGCAGGATCGGTCAACGCAG CCGTCGCCCCTCTGCACCCAGCCCAGGTCGCCACTGCTTCAGTCCGGT TCTCAAAGCCTCAGCACCATCTTTTATCCCCGAGCAGCCTGGATCGTCGT TCCCTCAGTCCGGACGCCACTGCTAGGTCCGACCACCGCCGCTTCTGATA TTTCGGTGAGTCTTTTCCTGTGGAGGTTTGGTCTCCCGATCTCTGTGGTA GCCACCTTAGGCGTGTACGGTCCTTTGAAAA

[560 10 NO:4]

RECEIVED

SEP 0 3 2002 TECH CENTER 1600/2900





SEP 0 3 2002

Aug. 1, 2002

1 TECH CENTER 1600/2900



IDENTIFICATION OF NEURAL DEFECTS ASSOCIATED WITH THE NUCLEOSOMAL ASSEMBLY PROTEIN 112 GENE

CROSS-REFERENCE TO RELATED APPLICATIONS

[0001] This application is based on and claims the benefit of U.S. Provisional Application Ser. No. 60/202,111, filed May 5, 2000 (attorney docket no. 03495.6048) The entire disclosure of this application is relied upon and incorporated by reference herein.

BACKGROUND OF THE INVENTION

[0002] This invention relates to the discovery of a link between defects in development of the central nervous system of a mammal and mutations in a gene, which result in a loss of biological function of protein encoded by the gene. Mutated forms of the gene, the RNA, and the protein it encodes are useful in diagnosis of predisposition to genetic defects.

[0003] Neurulation is a complex process of histogenesis involving the precise temporal and spatial organization of gene expression. Amongst the molecular components necessary for neurulation are proneural genes determining primary cell fate, neurogenic genes involved in the lateral inhibition pathway, and genes controlling the frequency of mitotic events^{1,2}. This underlying complexity is reflected in the actiology and genetics of human neural tube defects (NTDs), which are of both multifactorial and multigenic origin³. Similar complexity is observed in mouse models of NTDs where genes affecting cell fate such as Sonic hedgehog⁴ and the Pax genes⁵, genes encoding cell adhesion molecules like cadherins⁶, and genes affecting neural cell division, such as p53 and Nfl⁵, have all been implicated in the process of neurulation.

[0004] One family of genes, which has been implicated in the control of mintoic events^{8,9}, is the NAP-1 family. The NAP-1 protein was first identified in Xenopus laevist⁸⁰ and homologous proteins subsequently isolated from drosophila¹¹, yeast¹² and man⁶. NAP-1 and NAP-1 like proteins have been shown to transfer nucleosome units to naked DNA¹⁰, to stimulate transcription factor binding to nucleosomal DNA¹³, and to act as core histone shuttle implicated in the transport histones from the cytoplasm to the nucleus¹⁴. Control of mitotic events may depend on the role of NAP-1 and NAP-1 like proteins in chromatin assembly and remodeling or more directly through their binding to cyclins, which is mediated by a domain also found in the tumor associated SET proteins¹⁵.

[0005] The recently isolated murine X-linked Nap112 (Bpx) and its human homologue NAP1L2 (BPX) have a highly restricted pattern of expression, being expressed exclusively in the nervous system¹⁶. In this respect, NAP1L2 and the X-linked brain-specific NAP1L3¹⁷ differ from the ubiquitously expressed NAP1L1 and NAP1L4 genes. The limited expression pattern of these genes suggests a particular and specialized function, possibly through an effect on nucleosome assembly or cell cycle regulation, specific to neural function.

[0006] Neural tube defects occur with a frequency of 3.5/1000 births. There is a need in the art for the identifi-

cation of genes associated with defects in development of the central nervous system. In particular, there is a need for diagnostic tests and biological materials to identify predisposition to developmental defects.

SUMMARY OF THE INVENTION

[0007] This invention aids in fulfilling these needs in the art. More particularly, this invention relates to the discovery of the role of Nap112 in mouse development. A targeted deletion of the X-linked Nap112 gene in male ES cells, which would be expected to lead to the complete absence of the NAP1L2 protein, was created. In close agreement with the first detectable signs of Nap112 expression at day E9.5, the mutation resulted in embryonic lethality from midgestation onwards. Surviving embryos derived from ES cell-morula aggregates exhibited neural tube closure defects, associated with a marked overproduction of neuronal tissue.

[0008] This invention shows that Nap112 plays an essential role in the development of the nervous system and suggests a putative role for it in the control of cell proliferation and differentiation processes. Aberrant cell cycle regulation and differentiation may, therefore, be one of the mechanisms underlying certain neural tube defects (NTDs). This invention also identifies the human NAP1L2 gene as a gene for certain X-linked and spontaneous forms of these disorders.

[0009] One embodiment of this invention relates to a method for screening neural system defects in the mammal and especially in the human. The method comprises: (A) providing genomic material from the human; (B) detecting a modification of the NAP1L2 gene in the genomic material, wherein the modification is selected from a) substitution, b) deletion, c) frame-shift, d) insertion aberent or e) altered epigenetic control that causes a loss of biological function in the NAP1L2 gene; and (C) corre-lating the modification of the gene with a potential for a neural system defect. In a preferred embodiment, the modification in the NAP1L2 gene is detected by hybridization with a labeled probe, such as a probe. of SEQ ID NO:3 or a fragment thereof. The modification can be detected, for example, by (A) amplification of the genomic material using PCR; (B) sequencing the material to detect the modification of the nucleotide sequence; and (C) correlating the modification of the gene with a potential for neural system defects. The modification can be detected by quantification of the transcript using PCR or Northern Blot.

[0010] In another embodiment, the invention provides a method for screening neural system defects in a human, this method comprises: (A) providing biological material from the human; (B) detecting the absence, inappropriate, or modified expression of NAP1L2 gene product using labeled antibodies to the gene product; and (C) correlating the absence, inappropriate, or modified expression with a potential for neural system defects. The antibodies can be polyclonal or monoclonal.

[0011] The neural system defect can result from a failure of, or incomplete, neural tube closure, incomplete neural tube closure resulting in spina bifida, incomplete neural tube closure resulting in anencephaly, neural system defect relating to an inappropriate proliferation of surface ectoderm-derived cells, neural defect resulting in a loss of brain structure, neural system defect resulting from disorganiza-

desired functions (for example, specificity of expression in the selected target animal or embryo).

[0133] Absence of NAP1L2 protein (especially due to mutations of the corresponding genes or of their promoters) leads to overproduction of neural cells; expression of NAP1L2 or subfragments or derivatives in cells (neural/tumors/others) can prevent further proliferation and then can be used as a therapy. On the contrary, modification of Nap1 NAP1L2 expression (especially due to mutations of these genes or inefficiency of their promoters) leads to over production of neural cells and thereby allow regeneration or survival of neurons and therefore use as a therapy.

[0134] The following plasmids were deposited at the Collection National de Cultures de Microorganismes (C.N.C.M.), of Institut Pasteur, 28 rue due Docteur Roux, F-75724 Paris, Cedex 15, France, and assigned the following Accession Nos.:

PLASMID	DEPOSIT DATE	ACCESSION NO.
pCUR1-2	April 25, 2000	I-2463
BPX-1	April 25, 2000	I-2464
BPX-2	April 25, 2000	1-2465
BPX-3	April 25, 2000	I-2466.

[0135] Another aspect of the invention is an eukaryotic cell containing the insert contained in the plasmid BPX-1 or BPX-2 or BPX-3 or polynucleotides hybridizing under stringent conditions with the said insert.

[0136] This invention will now be described in greater detail in the following Examples.

EXAMPLE 1

Expression Profile Analysis During Mouse Development

[0137] In order to obtain a more precise overview of the profile of Nap112 expression, RNA in situ hybridization was performed using a Nap112 specific oligonucleotide probe on sections of adult mouse brain and mouse embryos corresponding to days E5.5 through to E18.5 (FIG. 1).

[0138] Nap112 expression was found throughout the nervous system, in structures belonging to both the central and peripheral nervous systems. Expression was first detectable at day E10.5, and correlates with the initial wave of neuronal differentiation (FIG. 1). Embryonic stages E10.5 through to E18.5 revealed that Nap112 expression, although predominantly in the spinal cord, was also present throughout the brain and ganglia. In the adult brain, all regions were labeled, although variation in the intensity of the labeling suggested some heterogeneity in expression levels. Signals were particularly strong in the anterior olfactory nucleus, the hippocampus, the hypothalamus and the cerebellum. The strongest Nap112 signal was detected in the mammillary bodies (see Bregma -2.9, FIG. 1).

[0139] Differentiated regions within the nervous system exhibited strong labeling, whereas ventricular zones did not show specific signals. No Nap112 transcripts could be detected in glial cells or in tissues other than the nervous system. Expression of Nap112 is likely to be restricted to post-mitotic neurons.

EXAMPLE 2

The Role of Nap112 Defined by Deletion Analysis Targeted Deletion and Differentiation of ES Cells

[0140] In order to establish the role of Nap112 we created a null mutation of the Nap112 gene in male ES cells, bemizygous for Nap112, by homologous recombination. In the knockout construct, the intronless Nap112 gene was partially deleted and replaced by a β-galactosidase reporter and neomycin resistance gene (FIG. 2). The resulting fusion protein has potential for Nap112 function, since it includes only five amino acids from the N-terminal end of NAP112, all the non-deleted C-terminal sequences being out of frame. Two targeted cell lines, 5b17 and 8b21, in which the endogenous X-linked Nap112 gene had been replaced by homologous recombination, were obtained (FIG. 2). The absence of a Nap112 transcript in these ES clones was confirmed by RT-PCR, and the karyotype of the clones verified on mitotic spreads.

[0141] As ES cells have the potential to differentiate into neurons in vitro, an investigation was made to determine whether the deletion of Nap112 affects the in vitro development of neurons. In vitro differentiation experiments are based on the formation of embryoid bodies in suspension culture. Re-attachment of the embryoid bodies after four days of culture leads to the formation of various types of differentiated cells. Formation of neurons can be induced by the addition of retinoic acid to the medium¹⁸. To visualize the specific cell types formed, antibodies directed against various neuronal marker proteins: nestin, which is present in precursor cells, \(\beta \)-tubulin III in early neurons, NF200 in differentiated neurons, and GFAP in glial cells, were used.

[0142] All three cell lines, the original ES cell line CK35 and the two recombinant ES cell lines, 5b17 and 8b21, were able to form neurons the presence of retinoic acid. In both the normal and mutant cell lies, nestin positive cells were observed two or three days after attachment of the embryoid bodies. Neurons together with glial cells usually appeared four to six days after embryoid body replating. The number of neurons developing was dependent on the concentration of retinoic acid used. Whereas cultures without retinoic acid produced only a few neuronil cells, their number was substantially increased by adding 3x10⁻³ M retinoic acid.

[0143] In the absence of retinoic acid, the CK35 cell line produced as expected, only few neuronal cells. In contrast, the mutant cell lines produced large numbers of nestin positive neuronal cells increasing from about 50 cells per mm² one day to 200 cells per mm² three days after reattachment (FIGS. 3a, b). Many of these nestin positive cells were lacZ positive (FIG. 3c). Pulse chase experiments using BrdU confirmed that these lacZ expressing cells represent a growing cell population (data not shown).

[0144] These experiments show that the Nap112 mutation affects the proliferation of neuronal precursor cells in vivo as well as in vitro. The dual effect of RA on both neuronal cell differentiation and G1 arrest of cell division¹³ probably leads to the suppression of the proliferative effect of the Nap112 mutation.

EXAMPLE 3

Phenotypical Observation of Chimeras

[0145] In order to examine more closely the effect of the Nap112 deletion on mouse development, changes in the

[0219] 36. Gardner, R. L. Mouse chimeras obtained by the injection of cells into the blastocyst. *Nature* 220, 596-7 (1968).

[0220] 37. Wood, S. A., Pascoe, W. S., Schmidt, C., Kemler, R., Evans, M. J. & Allen, N. D. Simple and efficient production of embryonic stem cell-embryo chimeras by coculture. *Proc. Natl. Acad. Sci. USA* 90, 4582-5 (1993).

[0221] 38. Nagy, A., Rossant, J., Nagy, R., Abramow-Newerly, W. & Roder, J. C. Derivation of completely cell culture-derived mice from early-passage embryonic stem cells. *Proc. Natl. Acad. Sci. USA* 90, 8424-8 (1993).

[0222] 39. Papenbrock, T., Peterson, R. L., Lee, R. S., Hsu, T., Kuroiwa, A. & Awgulewitsch, A. Murine Hoxc-9 gene contains a structurally and functionally conserved enhancer. *Dev. Dyn.* 12, 540-7 (1998).

[0223] 40. Hogan, B., Beddington, R., Costantini, F. & Lacy, E. in *Manipulation the mouse embryo* 373-375 (ColdSpring Harbor Laboratory Press New York 1994).

move to end of claim 45

(SEQ ID NO. 6) Genomic sequence BPX human

1.acttaaaggamamatttatotataamotgacagaatttagaamtamatacamomatatgtamacagttttaatatotgtg ataqtaacaaattctttaaatctqqaaaataataqtcacttaaaaattttaaaaaattqttcaattaataatqatccaaq 3.ttagaaatatgaacaaaataaacctcaccaataattactatagagaggaaattttaattactgcaaagctttccatccta 4.taaatacattatcaaatagtttaaccatttetttaatgetgagatttagattatttecaattaacteaaageateaage 5. anatqttatqatttctaaqaataaacataactttccattttggcttttgtatatatgtatatttctaacqqctqttaaaq 7. aattgtetggtatgtttactagteacgtagttgtatacaccatactagtttttcatcacaggccctcattcgcccccact 8.gccatcggacttcctcctcctcctcctcacaggaaatgtttcgagaatttttcaacctaaaatcatatagcttgtgaaaaa ${\tt 9.taccgacaaacataatatagaatatttaaataactgacacgccacctaaagaccatcagtgctaattcctggtgttttta}$ 10.atctttgaagegtttgtttatcagetetteeaceatecacetftcccctcccaggtccccgatctaaaatcaaagagat 11.tqatttaqqatqqqtqqqtqccttqtcttctctctattqttcqacattttaqttacqttttctctqaqctctctggaaagc 12. atamangtatantatetgttannagttggatgantganetnatganegenatgggatteengannactetgegggagatg 13.ggctagaggacgaggaggaggtggatgaatcagccatgttagagagcctgggaaggtgagcagagttgaaaacttgatag 14.atctaataatttactggctctgggtttgtcagtcactacattgcagcaaatgagattagagcatagttgtggggggaag 15.gaggtgacgcagcaatctatttgcacctagaaattttaggcaagtgatagctgcgtaatcatactgcggcaccgtttttt 17. teaacqcagccqtcqcccctctqcacccagcccagcccactgcttcagtccgqttctcaaagcctcagcaccatc18.ttttateccegageageetggategtegtteceteagteeggaegeeaetgetaggteegaeeaeegee**f**ettetgatat 🛝 19.ttcqqtqaqtcttttcctqtqqaqqtttqqtctcccqatctctqtqqtaqccaccttaqqcgtqtacggtcctttqaaaa 20. ATGGCCGAGTCAGAGAACCGCAAGGAGCTGTCAGAATCCAGTCAAGAAGAGGCTGGTAATCAGATAATGGTGGAAGGGGCT 21.CGGGGAACATCTGGAGCGCGGTGAAGATGCCGCTGCTGGGCTTGGAGACGATGGGAAAGTGCGGTGAAGAAGCTGCCGCTG 22 . GGCTTGGGGAAGAAGGGGAAAACGGTGAAGATACTGCTGCTGGGTCCGGGGAAGATGGGAAAAAAGGTGGCGATACTGAT 23. GAGGACTCAGAGGCAGACCGTCCAAAAGGACTTATCGGTTATGTTTTAGATACAGACTTTGTTGAAAGTCTACCTGTGAA 24. AGTTAAGTACCGTGTGTTAGCCCTTAAAAAGCTTCAAACTAGAGCGGCCAATTTAGAATCCAAATTCCTGAGGGAATTTC 25. ATGACATTGAAAGAAATTTTGCTGAAATGTACCAACCCTTACTGGAAAAAAGACGTCAGATCATCAATGCAATCTATGAA 26.CCTACAGAAGAGGAATGTGAATATAAATCAGACTCTGAGGACTLTGATGATGAGGAAATGTGTCATGAAGAGATGTTATGG 27. TAATGAGGAGGGTATGGTACATGAATATGTGGATGAGGACGATGGTTATGAGGACTATTATTATGATTATGCTGTGGAAG 28 . AGGAGGAGGAGGAGGAGGAGGACGACATTGAGGCTACTGGAGAAGAGAATAAAGAAGAGGAGGATCCTAAGGGAATT

-continued

(SEQ ID NO. 6) Genomic sequence BPX human

- 30.GCTCCTGACAGATATTAAAGTTAAGCTTTCAGATCCTGGCGAGCCCCTCAGTTTCACACTAGAATTTCACTTCAAACCCA
- 31.ATGAATATTTCAAAAATGaGTTGTTGACAAAGACCTATGTGCTGAAGTCAAAGCTAGCATATTATGATCCCCATCCCTAT
- 33. GAAGAAACAGAAACATCGGATCTGGGGAACAATCCGAACTGTAACTGAAGATTTTCCCAAGGATTCATTTTTCAATTTTT
- 34. TCTCTCCTCATGGAATCACCTCAAATGGAAGGGATGGAAATGATGATTTTTTACTTGGTCACAATTTACGTACTTACATA
- 35. ATTCCAAGATCAGTATTATTTTTCTCAGGTGATGCACTGGAATCTCAGCAGGAGGGGGTAGTTAGAGAAGTTAATGATGC
- 36. AATTTATGACAAAATTATTTATGATAATTGGATGGCTGCAATTGAGGAA#TTAAAGCTTGTTGCAAAAACCTTGAGGCAT \
- 37.TAGTAGAAGACATTGATCGTTAGAGCagagtatacatggccctgaaattaactgccctagatatagttactcaaggtata
- 39.aattaatttgaccttgagttttagtagtagaatgttttcaagaaatgtacactgtggtaaatgatttaaaacactagtat
- ${\tt 40.agtgttgtgtagcttaatccttctgaagtctttttgtcatgtagctattaatctgtggctatgaaatgatcagaaatgct}$
- 43.tttaaaacttggatgcttaagaggcctgcatatagataagaatttcaggcaaaactacatttattgttaataacagcttg
- 45.tgttagtcacaqtattttcaaaaqtttqcacatattqttctqtqtaattqtgtaaqccataattacaqtqtttaattctc
- 46.ttttcctattacatcattcattqaaaqtqatcactttaccattttqaaaaqatatttcqtqttttttcactqcaaaataa
- 47.aaagaataaaaatttcaga

What is claimed is:

- 1. A method for screening neural system defects in a mammal, said method comprising:
 - (A) providing chromosomal material from said human;
 - (B) detecting a modification of the NAP1L2 gene in the chromosomal material, wherein said modification is selected from a) substitution, b) deletion, c) frameshift, d) insertion aberent or c) altered epigenetic control; that causes a loss of biological function in the NAP1L2 gene; and
- (C) correlating the modification of said gene with a potential for a neural system defect.
- A method according to claim 1 where the said screening of neural system defects concerns a human being.
- 3. The method of claim 1, wherein said modification in the NAP1L2 gene is detected by hybridization with a labeled probe.
- 4. The method of claim 3, wherein said probe is a oligonucleotide probe of SEQ ID NO:3.
- 5. A method of claim 1, wherein said modification is detected by
 - (A) amplification of the chromosomal material using PCR;
 - (B) sequencing said material to detect the modification of the nucleotide sequence; and

- (C) correlating the modification of said gene with a potential for neural system defects.
- 6. A method for screening neural system defects in a human, said method comprising:
 - (A) providing biological material from said human;
 - (B) detecting the absence, inappropriate, or modified expression of NAP1L2 gene product using labeled antibodies to said gene product; and
 - (C) correlating said absence, inappropriate, or modified expression with a potential for neural system defects.
- 7. The method of claim 5, wherein the said antibodies are polyclonal.
- 8. The method of claim 5, wherein the said antibodies are monoclonal.
- 9. A method of any one of claims 1 to 8, wherein the neural system defect results from a failure of or incomplete neural tube closure.
- 10. A method of claim 9, wherein said incomplete neural tube closure results in spina bifida.
- 11. The method of any one of claims 1 to 8, wherein the neural system defect results from inappropriate control of nucleosome activity in neurons.
- 12. The method of any one of claims 1 to 8, wherein the neural system defect results from inappropriate control of the cell cycle in neurons.
- 13. The method of any one of claims 1 to 7, wherein the neural system defect results from inappropriate differentiation of neurons.

- 41. A plasmid consisting in the deposit made at C.N.C.M. under the Accession Number I-2463.
- 42. A plasmid consisting in the deposit made at C.N.C.M. under the Accession Number I-2464.
- 43. A plasmid consisting in the deposit made at C.N.C.M. under the Accession Number I-2465.
- 44. A plasmid consisting in the deposit made at C.N.C.M. under the Accession Number I-2466.
- 45. A polynucleotide containing the sequence SEQ ID NO:6 and SEQ ID NO:6 from pages 15-16
- 46. The polynucleotide of claim 24, wherein said polynucleotide further comprises an heterologous amino acid sequence coding for an heterologous polypeptide under the control of NAPIL2 promoter.
 - 47. A vector containing the polynucleotide of claim 46.
- 48. A neural cell containing the polynucleotide of claim 46.

- 49. A process for targeted expression of a polypeptide in a neural cell wherein said neural cell is a cell according to claim 48.
- 50. The polynucleotide of claim 32, wherein said polynucleotide further comprises an heterologous amino acid sequence coding for an heterologous polypeptide under the control of Nap112 promoter
- 51. A vector containing the polynucleotide of claim 50.
- 52. A neural cell containing the polynucleotide of claim 50
- 53. A process for the targeted expression of a polypeptide in a neural cell wherein said neural cell is a cell according to claim 52.

* * * * *